## SAO/NASA ADS arXiv e-prints Abstract Service

- · Find Similar Abstracts (with default settings below)
- · arXiv e-print (arXiv:1109.4685)
- · References in the Article
- · Also-Read Articles (Reads History)

· Translate This Page

**Title:** The Evolution of Ly-alpha Emitting Galaxies Between z = 2.1 and z = 3.1

Authors: <u>Ciardullo, Robin; Gronwall, Caryl; Wolf, Christopher; McCathran, Emily;</u>

Bond, Nicholas A.; Gawiser, Eric; Guaita, Lucia; Feldmeier, John . J.; Treister, Ezequiel; Padilla, Nelson; Francke, Harold; Matkovic, Ana;

Altmann, Martin; Herrera, David

**Publication:** eprint arXiv:1109.4685

**Publication Date:** 09/2011 **Origin:** ARXIV

**Keywords:** Astrophysics - Cosmology and Extragalactic Astrophysics

**Comment:** 39 pages, 12 figures, Accepted to ApJ

**Bibliographic Code:** 2011arXiv1109.4685C

## **Abstract**

We describe the results of a new, wide-field survey for z=3.1 Ly-alpha emission-line galaxies (LAEs) in the Extended Chandra Deep Field South (ECDF-S). By using a nearly top-hat 5010 Angstrom filter and complementary broadband photometry from the MUSYC survey, we identify a complete sample of 141 objects with monochromatic fluxes brighter than 2.4E-17 ergs/cm<sup>2</sup>/s and observers-frame equivalent widths greater than ~ 80 Angstroms (i.e., 20 Angstroms in the rest-frame of Ly-alpha). The bright-end of this dataset is dominated by x-ray sources and foreground objects with GALEX detections, but when these interlopers are removed, we are still left with a sample of 130 LAE candidates, 39 of which have spectroscopic confirmations. This sample overlaps the set of objects found in an earlier ECDF-S survey, but due to our filter's redder bandpass, it also includes 68 previously uncataloged sources. We confirm earlier measurements of the z=3.1 LAE emission-line luminosity function, and show that an apparent anti-correlation between equivalent width and continuum brightness is likely due to the effect of correlated errors in our heteroskedastic dataset. Finally, we compare the properties of z=3.1 LAEs to LAEs found at z=2.1. We show that in the  $\sim$ 1 Gyr after z~3, the LAE luminosity function evolved significantly, with L\* fading by ~0.4 mag, the number density of sources with L > 1.5E42 ergs/s declining by  $\sim 50\%$ , and the equivalent width scalelength contracting from  $70^{+7}$  {-5} Angstroms to  $50^{+9}$  {-6} Angstroms. When combined with literature results, our observations demonstrate that over the redshift range z~0 to z~4, LAEs contain less than  $\sim 10\%$  of the star-formation rate density of the universe.

Bibtex entry for this abstract Preferred format for this abstract (see Preferences)